



Model 130R
File Number: EX6097

COMPANY

JINAN MEIDE CASTING CO LTD
Meide Science and Technology Park
Pingyin Industrial Park
JINAN, Shandong Sheng 250400 China

MODEL INFO

130R
Grooved fitting

PRODUCT INFORMATION		
Type	Size, NPS (unless otherwise indicated)	Rated Pressure, psig (kPa)
Reducing tee	2x1-1/2	500 (3447)
Reducing tee	3x1, 1-1/2, 2, 2-1/2	500 (3447)
Reducing tee	4x1, 2, 2-1/2, 3	500 (3447)
Reducing tee	5x1-1/2, 2, 2-1/2, 3, 4	500 (3447)
Reducing tee	6x2, 2-1/2, 3, 4, 5	500 (3447)
Reducing tee	8x2, 2-1/2, 3, 4, 5, 6	500 (3447)
Reducing tee	10x4	500 (3447)
Reducing tee	12x6	500 (3447)

PRODUCT INFORMATION

Type	Size, NPS (unless otherwise indicated)	Rated Pressure, psig (kPa)
Reducing tee	60.3x33.7mm, 48.3mm	500 (3447)
Reducing tee	73.0x48.3mm, 60.3mm	500 (3447)
Reducing tee	76.1x42.4mm, 48.3mm, 60.3mm	500 (3447)
Reducing tee	88.9x42.4mm, 48.3mm, 60.3mm, 73.0mm	500 (3447)
Reducing tee	216.3x114.3mm	500 (3447)
Reducing tee	114.3x33.7mm, 60.3mm, 73.0mm, 88.9mm	365 (2516)
Reducing tee	141.3x88.9mm, 114.3mm	365 (2516)
Reducing tee	168.3x60.3mm, 73.0mm, 88.9mm, 114.3mm, 141.3mm	365 (2516)
Reducing tee	14x8, 14x10, 14x2	300 (2068)
Reducing tee	88.9x76.1mm	300 (2068)
Reducing tee	108.0x60.3mm, 73.0mm, 88.9mm	300 (2068)
Reducing tee	114.3x48.3mm, 76.1mm	300 (2068)
Reducing tee	133.0x60.3mm, 76.1mm, 108.0mm, 114.3mm	300 (2068)
Reducing tee	139.7x48.3mm, 60.3mm, 76.1mm, 88.9mm, 114.3mm	300 (2068)
Reducing tee	159.0x60.3mm, 76.1mm, 88.9mm, 108.0mm, 114.3mm, 133.0mm	300 (2068)
Reducing tee	165.1x60.3mm, 76.1mm, 88.9mm, 114.3mm, 133.0mm, 139.7mm, 159.0mm	300 (2068)
Reducing tee	168.3x76.1mm, 139.7mm	300 (2068)

PRODUCT INFORMATION

Type	Size, NPS (unless otherwise indicated)	Rated Pressure, psig (kPa)
Reducing tee	216.3x165.1mm	300 (2068)
Reducing tee	219.1x60.3mm, 76.1mm, 88.9mm, 108.0mm, 114.3mm, 133.0mm, 139.7mm, 141.3mm, 159.0mm, 165.1mm, 168.3mm	300 (2068)
Reducing tee	273.0x165.1mm, 168.3mm, 219.1mm	300 (2068)
Reducing tee	323.9x165.1mm, 219.1mm, 273.0mm	300 (2068)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."