


nexsmart

"Smarter Living Starts Here"

Zigbee / WIFI Dry Contact Switch Module



The **WIFI / Zigbee Mini Dry Contact Switch (1 Gang, N&L)** is a compact smart module designed for controlling **dry contact systems**, enabling seamless integration into smart home and automation systems.

With **Zigbee 3.0 connectivity**, it ensures stable communication via a gateway and supports **remote control, automation, and scene management** (for Zigbee module).

support@nexsmart.systems
https://nexsmart.systems

Key Features

1. Dry Contact + Relay Output

- Supports **dry contact (COM/NO/NC)**
- Can also control **lighting loads (LED)**
- Flexible for multiple applications

2. Compact Mini Design

- Fits behind switches or inside junction box
- Ideal for retrofit installations

3. Smart Control

- Smart Home Application
- Remote ON/OFF
- Automation & scenes

4. Reliable Power Supply

- Requires **Live & Neutral**
- Stable performance.

Technical Specifications

Category	Specification	
Model	NEXRE-DC-Z	NEXRE-DC-W
Communication Protocol	Zigbee 3.0	WIFI
Product Type	Dry Contact	
Gang	1 gang	
Operation Voltage	AC 100–240V, 50/60Hz	
Maximum Load	LED 150W/ 5A	
Installation	Hidden (behind switch / ceiling box)	
Wiring	N & L required	

support@nexsmart.systems
https://nexsmart.systems